

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/551,312	09/28/2005	Yonggang Du	CN030006	6434
	7590 05/22/200 LLECTUAL PROPER	•	EXAM	INER
P.O. BOX 3001			AMINZAY, SHAIMA Q	
BRIARCLIFF 1	MANOR, NY 10510		ART UNIT	PAPER NUMBER
			2618	
			MAIL DATE	DELIVERY MODE
			05/22/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)	
Supplemental	10/551,312	DU ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Shaima Q. Aminzay	2618	
The MAILING DATE of this communication ap All claims being allowable, PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOL-8 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.3	IS (OR REMAINS) CLOSED in this 35) or other appropriate communication is subjection is subjection is subjection.	s application. If not included ation will be mailed in due course. I	
1. X This communication is responsive to 1/23/07.			
2. The allowed claim(s) is/are		•	
3. Acknowledgment is made of a claim for foreign priority a) All b) Some* c) None of the: 1. Certified copies of the priority documents hat 2. Ceptified copies of the priority documents hat 3. Copies of the certified copies of the priority International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATI noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be substituted in the substitute of the	ave been received. ave been received in Application N documents have been received in E" of this communication to file a re NMENT of this application. bmitted. Note the attached EXAMII gives reason(s) why the oath or declared by the submitted. erson's Patent Drawing Review (Ferson's Patent Drawing Review (Ferson's Amendment / Comment or in the R 1.84(c)) should be written on the din the header according to 37 CFR 1.	this national stage application from this national stage application from apply complying with the requirement NER'S AMENDMENT or NOTICE Colaration is deficient. TO-948) attached the Office action of rawings in the front (not the back) of 121(d). AL must be submitted. Note the	ts DF
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Inform	nal Patent Application	
2. Notice of Draftperson's Patent Drawing Review (PTO-948	8) 6. 🔀 Interview Sumn Paper No./Mai	nary (PTO-413), LDate	
3. 🔀 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🛭 Examiner's Am	endment/Comment	
 Examiner's Comment Regarding Requirement for Deposition of Biological Material 	it 8. Examiner's Sta	ement of Reasons for Allowance	

Supplemental Action

This is a supplemental action to correct the deficiencies in IDS dated 12-13-06, and the specification page 6 by filling the blank space with serial number of prior art.

Examiner 's Amendment

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with David Barns, Reg. No. 47,407 (Tel. 914-333-9693) on May 10, 2007. The applicant representative, David Barns agreed to the following changes without prejudice.

In IDS dated 12-13-06 in column "Foreign Patent Document" the Chinese patent application serial number "CN030003" replaced with the correct serial number "03119892", and the specification page 6, line 21, the blank space is filled with the correct Chinese patent application serial number "03119892".

Art Unit: 2618

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shaima Q. Aminzay whose telephone number is 571-272-7874. The examiner can normally be reached on 7:00 AM -4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mathew D. Anderson can be reached on 571-272-4177. The fax number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Applications Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Shaima Q. Aminzay

(Examiner)

May 11, 2007

EDWARD F. URBAN SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600